

Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Search | Help

Welcome United States Patent and Trademark Office

IEEE Xplore®

Search Results

Results for "((spread and code and cdma and path and value)<in>metadata)) <and> (pyr >= 1950 <..."

Your search matched 30 of 1741857 documents.

A maximum of 100 results are displayed. 25 to a page, sorted by Relevance in Descending order.

E-mail | Print Article

New (Beta)  
Application Notes

GLOBALSPEC

View Session History

New Search

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(((spread and code and cdma and path and value)&lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1950 &lt;...

Search

 Check to search only within this results setDisplay Format:  Citation  Citation & Abstract

IEEE/IEE

Books

Educational Courses

Application Notes [Beta]

Practical applied content provided by GlobalSpec to explain, illustrate and promote technologies. Not reviewed or endorsed by the IEEE

 view selected items  Select All  Deselect All

1-25 | 26-30

1. Performance analysis of forward link DS-CDMA systems using random and orthogonal spreading sequences  
Ji-Woong Choi; Yong-Hwan Lee; Yong-Ho Kim;  
[Communications, 2001. ICC 2001. IEEE International Conference on](#)  
Volume 5, 11-14 June 2001 Page(s):1446 - 1450 vol.5  
Digital Object Identifier 10.1109/ICC.2001.937160  
[AbstractPlus](#) | [Full Text: PDF\(404 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

2. Field test measurement of DS-CDMA RAKE receiver with TWCL in an urban area  
Suzuki, Y.; Kudoh, E.; Ogose, S.;  
[Vehicular Technology, IEEE Transactions on](#)  
Volume 50, Issue 4, July 2001 Page(s):895 - 899  
Digital Object Identifier 10.1109/25.938566  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(108 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

3. Capacity improvement by code-hopping in S-CDMA systems  
Unal, B.; Tanik, Y.;  
[Communications, 1998. ICC 98. Conference Record. 1998 IEEE International Conference on](#)  
Volume 2, 7-11 June 1998 Page(s):989 - 993 vol.2  
Digital Object Identifier 10.1109/ICC.1998.685160  
[AbstractPlus](#) | [Full Text: PDF\(472 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

4. Multipath interference reduction property by using multipath interference correlative timing throughout for DS-CDMA systems  
Hasegawa, T.; Shimizu, M.;  
[Vehicular Technology Conference, 2003. VTC 2003-Spring. The 57th IEEE Semiannual](#)  
Volume 4, 22-25 April 2003 Page(s):2827 - 2831 vol.4  
Digital Object Identifier 10.1109/VETECS.2003.1208909  
[AbstractPlus](#) | [Full Text: PDF\(340 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

5. Effects of radio propagation path loss on DS-CDMA cellular frequency reuse efficiency for the reverse channel  
 Rappaport, T.S.; Milstein, L.B.;  
Vehicular Technology, IEEE Transactions on  
 Volume 41, Issue 3, Aug. 1992 Page(s):231 - 242  
 Digital Object Identifier 10.1109/25.155970  
[AbstractPlus](#) | [Full Text: PDF\(1076 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

---

6. Channel reuse strategies for indoor infrared wireless communications  
 Marsh, G.W.; Kahn, J.M.;  
Communications, IEEE Transactions on  
 Volume 45, Issue 10, Oct. 1997 Page(s):1280 - 1290  
 Digital Object Identifier 10.1109/26.634692  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(464 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

---

7. Slotted ALOHA and code division multiple access techniques for land-mobile satellite personal communications  
 van Nee, R.D.J.; van Wolfswinkel, R.N.; Prasad, R.;  
Selected Areas in Communications, IEEE Journal on  
 Volume 13, Issue 2, Feb. 1995 Page(s):382 - 388  
 Digital Object Identifier 10.1109/49.345882  
[AbstractPlus](#) | [Full Text: PDF\(628 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

---

8. Chip-delay locked matched filter for DS-CDMA systems using long sequence spreading  
 Yoon, Y.C.; Leib, H.;  
Communications, IEEE Transactions on  
 Volume 49, Issue 8, Aug. 2001 Page(s):1468 - 1478  
 Digital Object Identifier 10.1109/26.939895  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(336 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

---

9. MCI cancellation for multicode wideband CDMA systems  
 Jun Chen; Jiangzhou Wang; Sawahashi, M.;  
Selected Areas in Communications, IEEE Journal on  
 Volume 20, Issue 2, Feb. 2002 Page(s):450 - 462  
 Digital Object Identifier 10.1109/49.983371  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(337 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

---

10. Symbol rate processing for the downlink of DS-CDMA systems  
 Joham, M.; Utschick, W.;  
Selected Areas in Communications, IEEE Journal on  
 Volume 19, Issue 1, Jan 2001 Page(s):61 - 68  
 Digital Object Identifier 10.1109/49.909609  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(208 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

---

11. Comparative evaluation of CDMA and FD-TDMA cellular system capacities with respect to radio link capacity  
 Despins, C.L.; Djelassem, G.; Roy, V.;  
Personal, Indoor and Mobile Radio Communications, 1996. PIMRC'96. Seventh IEEE International Symposium on  
 Volume 2, 15-18 Oct. 1996 Page(s):387 - 391 vol.2  
 Digital Object Identifier 10.1109/PIMRC.1996.567422  
[AbstractPlus](#) | [Full Text: PDF\(508 KB\)](#) [IEEE CFP](#)  
[Rights and Permissions](#)

---

**12. Performance analysis of multiple access techniques for land-mobile satellite communications**  
 Prasad, R.; van Nee, R.D.J.; van Wolfswinkel, R.N.;  
Global Telecommunications Conference, 1994. GLOBECOM '94. 'Communications: The Global Bridge',  
IEEE  
 Volume 2, 28 Nov.-2 Dec. 1994 Page(s):740 - 744 vol.2  
 Digital Object Identifier 10.1109/GLOCOM.1994.512694  
[AbstractPlus](#) | [Full Text: PDF\(436 KB\)](#) | [IEEE Xplore](#) | [Rights and Permissions](#)

---

**13. Low-complexity space-time processor for DS-CDMA communications**  
 Ramos, J.; Zoltowski, M.D.; Hui Liu;  
Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on]  
 Volume 48, Issue 1, Jan. 2000 Page(s):39 - 52  
 Digital Object Identifier 10.1109/78.815477  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(364 KB\)](#) | [IEEE Xplore](#) | [Rights and Permissions](#)

---

**14. The TAR decoder-a bandpass Viterbi/FFT decoder for convolutional encoded spread-spectrum signals**  
 Tomlinson, M.; Abu-Rgheff, M.N.A.;  
Communications, IEEE Transactions on  
 Volume 44, Issue 11, Nov. 1996 Page(s):1392 - 1398  
 Digital Object Identifier 10.1109/26.544452  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(432 KB\)](#) | [IEEE Xplore](#) | [Rights and Permissions](#)

---

**15. Capacity evaluation of a mixed-traffic WCDMA system in the presence of load control**  
 Abrardo, A.; Giambene, G.; Sennati, D.;  
Vehicular Technology, IEEE Transactions on  
 Volume 52, Issue 3, May 2003 Page(s):490 - 501  
 Digital Object Identifier 10.1109/TVT.2003.811530  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1307 KB\)](#) | [IEEE Xplore](#) | [Rights and Permissions](#)

---

**16. Outside cell interference dynamics in cellular CDMA**  
 Matolak, D.W.; Thakur, A.;  
System Theory, 2003. Proceedings of the 35th Southeastern Symposium on  
 16-18 March 2003 Page(s):148 - 152  
 Digital Object Identifier 10.1109/SSST.2003.1194547  
[AbstractPlus](#) | [Full Text: PDF\(350 KB\)](#) | [IEEE Xplore](#) | [Rights and Permissions](#)

---

**17. Forward-link BER analysis of asynchronous cellular DS-CDMA over Nakagami-faded channels using combined PDF approach**  
 Oh, S.W.; Cheah, K.L.; Li, K.H.;  
Vehicular Technology, IEEE Transactions on  
 Volume 49, Issue 1, Jan. 2000 Page(s):173 - 180  
 Digital Object Identifier 10.1109/25.820709  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(192 KB\)](#) | [IEEE Xplore](#) | [Rights and Permissions](#)

---

**18. Field experiments on optimum number of antennas for adaptive antenna array-beam forming transmitter in W-CDMA forward link**  
 Taoka, H.; Kataoka, T.; Higuchi, K.; Asai, T.; Sawahashi, M.;  
Vehicular Technology Conference, 2003. VTC 2003-Fall. 2003 IEEE 55th  
 Volume 1, 6-9 Oct. 2003 Page(s):222 - 226 Vol.1  
[AbstractPlus](#) | [Full Text: PDF\(1189 KB\)](#) | [IEEE Xplore](#) | [Rights and Permissions](#)

**19. A blind adaptive receiver for interference suppression and multipath reception in long-code DS-CDMA**  
 Mirbagheri, A.; Yoon, Y.C.;  
Communications, 2002. ICC 2002. IEEE International Conference on  
 Volume 1, 28 April-2 May 2002 Page(s):242 - 246  
 Digital Object Identifier 10.1109/ICC.2002.996853  
[AbstractPlus](#) | [Full Text: PDF\(609 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)

---

**20. A subspace method for model order estimation in CDMA**  
 Joutsensalo, J.;  
Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th International Symposium on  
 Volume 2, 22-25 Sept. 1996 Page(s):688 - 692 vol.2  
 Digital Object Identifier 10.1109/ISSSTA.1996.563213  
[AbstractPlus](#) | [Full Text: PDF\(404 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)

---

**21. Greedy multiuser detection over single-path fading channel**  
 AlRustamani, A.; Vojcic, B.;  
Spread Spectrum Techniques and Applications, 2000 IEEE Sixth International Symposium on  
 Volume 2, 6-8 Sept. 2000 Page(s):708 - 712 vol.2  
 Digital Object Identifier 10.1109/ISSSTA.2000.876526  
[AbstractPlus](#) | [Full Text: PDF\(384 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)

---

**22. The effect of path diversity (RAKE) on link reliability in CDMA cellular systems-a realistic assessment of system capacity**  
 Lee, J.S.; Miller, L.E.;  
Personal, Indoor, and Mobile Radio Communications, 1996. PIMRC'96., Seventh IEEE International Symposium on  
 Volume 3, 15-18 Oct. 1996 Page(s):1130 - 1134 vol.3  
 Digital Object Identifier 10.1109/PIMRC.1996.568459  
[AbstractPlus](#) | [Full Text: PDF\(476 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)

---

**23. Throughput and delay analysis of a slotted DS/SS CDMA system in a shadowed Rician channel**  
 Prasad, R.; Misser, H.S.; Daryanto, A.;  
Vehicular Technology Conference, 1993 IEEE 43rd  
 18-20 May 1993 Page(s):456 - 459  
 Digital Object Identifier 10.1109/VETEC.1993.507510  
[AbstractPlus](#) | [Full Text: PDF\(268 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)

---

**24. A new successive interference cancellation for asynchronous CDMA**  
 Xiaodong Ren; Shidong Zhou; Yan Yao; Zucheng Zhou;  
Global Telecommunications Conference, 2003. GLOBECOM '03. IEEE  
 Volume 1, 1-5 Dec. 2003 Page(s):252 - 256 Vol.1  
 Digital Object Identifier 10.1109/GLOCOM.2003.1258240  
[AbstractPlus](#) | [Full Text: PDF\(261 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)

---

**25. Experimental evaluation of the two-dimensional mobile propagation environment at 2 GHz**  
 Laiho-Steffens, J.; Wacker, A.;  
Vehicular Technology Conference, 1997 IEEE 47th  
 Volume 3, 4-7 May 1997 Page(s):2070 - 2074 vol.3  
 Digital Object Identifier 10.1109/VETEC.1997.605962  
[AbstractPlus](#) | [Full Text: PDF\(628 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)

